

PWSID: Swan River Montessori Charter School Program Code: HK Type:
System Name: 4137
City: None

Date Received: 05/19/26 10:14 Collector Name: Facility Staff - Kirsten Host
Rep. Temp. (°C): 18.3 Collector ID: None

MDH Sample Number: 26E2179-01

Location ID: 101	Collect Date: 05/14/26	Field Residual Chlorine Result: None
Sampling Point: 503775	Collect Time: 12:47	Field Fluoride Result: None
	Matrix: Drinking Water	Field pH Result: None
		Field PO ₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:14	RCC	EPA 200.8	

MDH Sample Number: 26E2179-02

Location ID: 201	Collect Date: 05/14/26	Field Residual Chlorine Result: None
Sampling Point: 503776	Collect Time: 12:50	Field Fluoride Result: None
	Matrix: Drinking Water	Field pH Result: None
		Field PO ₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	1.08	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:17	RCC	EPA 200.8	

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

MDH Sample Number: 26E2179-03

Location ID: 202
Sampling Point: 503777

Collect Date: 05/14/26
Collect Time: 12:52
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	1.02	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:18	RCC	EPA 200.8	

MDH Sample Number: 26E2179-04

Location ID: 203
Sampling Point: 503778

Collect Date: 05/14/26
Collect Time: 12:53
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:18	RCC	EPA 200.8	

MDH Sample Number: 26E2179-05

Location ID: 204
Sampling Point: 503779

Collect Date: 05/14/26
Collect Time: 12:55
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:19	RCC	EPA 200.8	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

MDH Sample Number: 26E2179-06

Location ID: 205
Sampling Point: 503780

Collect Date: 05/14/26
Collect Time: 12:56
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:20	RCC	EPA 200.8	

MDH Sample Number: 26E2179-07

Location ID: 206
Sampling Point: 503781

Collect Date: 05/14/26
Collect Time: 12:57
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:21	RCC	EPA 200.8	

MDH Sample Number: 26E2179-08

Location ID: 207
Sampling Point: 503782

Collect Date: 05/14/26
Collect Time: 12:57
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:22	RCC	EPA 200.8	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

MDH Sample Number: 26E2179-09

Location ID: 208
Sampling Point: 503783

Collect Date: 05/14/26
Collect Time: 12:58
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:23	RCC	EPA 200.8	

MDH Sample Number: 26E2179-10

Location ID: 209
Sampling Point: 503784

Collect Date: 05/14/26
Collect Time: 13:00
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:25	RCC	EPA 200.8	

MDH Sample Number: 26E2179-11

Location ID: 210
Sampling Point: 503785

Collect Date: 05/14/26
Collect Time: 13:01
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1436	05/21/26 09:54	05/21/26 14:26	RCC	EPA 200.8	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

MDH Sample Number: 26E2179-12

Location ID: 211
Sampling Point: 503786

Collect Date: 05/14/26
Collect Time: 13:02
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:04	DJM2	EPA 200.8	

MDH Sample Number: 26E2179-13

Location ID: 212
Sampling Point: 503788

Collect Date: 05/14/26
Collect Time: 13:02
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:05	DJM2	EPA 200.8	

MDH Sample Number: 26E2179-14

Location ID: 213
Sampling Point: 503789

Collect Date: 05/14/26
Collect Time: 13:03
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:06	DJM2	EPA 200.8	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

MDH Sample Number: 26E2179-15

Location ID: 301
Sampling Point: 503790

Collect Date: 05/14/26
Collect Time: 13:07
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:07	DJM2	EPA 200.8	

MDH Sample Number: 26E2179-16

Location ID: 302
Sampling Point: 503791

Collect Date: 05/14/26
Collect Time: 13:07
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:08	DJM2	EPA 200.8	

MDH Sample Number: 26E2179-17

Location ID: 303
Sampling Point: 503792

Collect Date: 05/14/26
Collect Time: 13:09
Matrix: Drinking Water

Field Residual Chlorine Result: None
Field Fluoride Result: None
Field pH Result: None
Field PO₄ Result: None

Results were produced by the Minnesota Department of Health, except where noted.

Metal Parameters

Analyte	Result	Reporting Limit	Units	Batch	Prepared	Analyzed	Init.	Method	Qualifiers
Lead	<	1.00	ug/L	B6E1471	05/22/26 08:12	05/22/26 12:12	DJM2	EPA 200.8	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

Results were produced by Minnesota Department of Health, except where noted.

Batch B6E1436 - EPA 200 Series Prep

Blank (B6E1436-BLK1)

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:04

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	<	1.00	ug/L							RCC	

LCS (B6E1436-BS1)

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:05

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	49.5		ug/L	50		99	85-115			RCC	

Duplicate (B6E1436-DUP1)

Source: 26E2174-04

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:07

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	0.58	1.00	ug/L		<			2	20	RCC	

Duplicate (B6E1436-DUP2)

Source: 26E2179-09

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:23

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	0.28	1.00	ug/L		<			10	20	RCC	

Matrix Spike (B6E1436-MS1)

Source: 26E2174-04

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:08

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	52.2		ug/L	50		103	70-130			RCC	

Matrix Spike (B6E1436-MS2)

Source: 26E2179-09

Prepared: 05/21/26 09:54 Analyzed: 05/21/26 14:24

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	46.3		ug/L	50		92	70-130			RCC	

Batch B6E1471 - EPA 200 Series Prep

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

Results were produced by Minnesota Department of Health, except where noted.

Batch B6E1471 - EPA 200 Series Prep

Blank (B6E1471-BLK1)

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 11:54

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	<	1.00	ug/L							DJM2	

LCS (B6E1471-BS1)

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 11:55

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	51.3	1.00	ug/L	50		103	85-115			DJM2	

Duplicate (B6E1471-DUP1)

Source: 26E2041-01

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 11:59

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	<	1.00	ug/L		<				20	DJM2	

Duplicate (B6E1471-DUP2)

Source: 26E2179-17

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 12:14

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	0.34	1.00	ug/L		<			5	20	DJM2	

Matrix Spike (B6E1471-MS1)

Source: 26E2041-01

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 11:58

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	42.7	1.00	ug/L	50	<	85	70-130			DJM2	

Matrix Spike (B6E1471-MS2)

Source: 26E2179-17

Prepared: 05/22/26 08:12 Analyzed: 05/22/26 12:13

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Init.	Qualifiers
Lead	45.8	1.00	ug/L	50	<	91	70-130			DJM2	

FINAL REPORT

Report ID: 06032026 85615

Generated: 6/3/2026 8:56:09AM

Authorized by:

The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health

PWSID: Swan River Montessori Charter School

Work Order Comments

Samples were received in proper condition.

Authorized by:

*The results in this report apply only to the samples analyzed.
This report must not be reproduced, except in full, without the written approval of the laboratory.*



Stefan Saravia, Environmental Laboratory Manager
Public Health Laboratory, Minnesota Department of Health